

Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP 1/20

[FIG. 1]




[FIG. 2]




10/555658


[FIG. 3]



[FIG. 4]




[FIG. 5]




10/555658

[FIG. 6]




[FIG. 7]




operating temperature (0.1℃/div)

10/555658

[FIG. 8]




[FIG. 9]



10/555658

5/20

[FIG. 10]



SIGNAL GENERATING SECTION

MASTER LASER

MODE-LOCKED LASER

SECTION

OPTICAL FILTER

OPTICAL RESONATOR
LENGTH CONTROL
SECTION

A1

OPTICAL RESONATOR
LENGTH CONTROL
SECTION


A2

OPTICAL FILTER

MEASURING
SECTION


Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP 10/555658

[FIG. 12]




7/20

[FIG. 13]




[FIG. 14]




Title: MODE-LOCKED LASER AND OPTICAL MULTI-CARRIER SOURCE USING SAME Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP

[FIG. 15]




10./555658

[FIG. 16]




[FIG. 17]




Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP 10/555658

[FIG. 18]




[FIG. 19]




10/555658

[FIG. 20]




[FIG. 21]




Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP 10/555658

[FIG. 22]




[FIG. 23]




19/555658

13/20

[FIG. 24]



[FIG. 25]




BEST AVAILABLE COPY


Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP

14/20

[FIG. 26]



[FIG. 27]




Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP


10/555658

15/20

[FIG. 28]




[FIG. 29]



101555658


16/20

[FIG. 30]




111555658

[FIG. 31]



18/20


[FIG. 32]



Title: MODE-LOCKED LASER AND OPTICAL MULTI-CARRIER SOURCE USING SAME Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP


19/20

[FIG. 33]




Inventor(s): Kunihiko MORI et al Atty. Ref.: 6268-000011/US/NP 10/555658

[FIG. 34]



[FIG. 35]



[FIG. 36]

